

OB1 Grip & Grab Adhesive Date: 23.02.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	OB1 GRIP & GRAB ADHESIVE WHITE
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Adhesives and/or sealants
Recommended use	Adhesives and/or sealants

Uses advised against None known

## 1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Ireland	+44 (1785) 272650 <b>NPIC - National Poison Information Centre</b> Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service)
Europe	112

SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### **EU Specific Hazard Statements**

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine &

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine. May produce an allergic reaction EUH210 - Safety data sheet available on request

### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <3	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1- <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	01-2119970215- 39-XXXX
N-[3-(Dimethoxymethylsi lyl)propyl]-ethylenediami ne	221-336-6	3069-29-2	0.1- <1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	01-2119963926- 21-xxxx
Dioctyltin oxide	212-791-1	870-08-6	0.1- <1	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx

### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measu	ires			
4.1. Description of first aid measur	res			
General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.			
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Skin contact	In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and water.			
Ingestion	Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.			
4.2. Most important symptoms and	d effects, both acute and delayed			
Symptoms	None known.			
4.3. Indication of any immediate medical attention and special treatment needed				
Note to doctors	Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.			
SECTION 5: Firefighting me	asures			
5.1. Extinguishing media				
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.			
Unsuitable extinguishing media	Full water jet.			
5.2. Special hazards arising from t	he substance or mixture			
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.			
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon dioxide.			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, protect	ive equipment and emergency procedures			
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.			
For emergency responders	Use personal protection recommended in Section 8.			

6.2. Environmental precautions

Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.			
6.3. Methods and material for conta	ainment and	cleaning up		
Methods for containment	Do not scatter spilled material with high pressure water streams.			
Methods for cleaning up	Take up med	hanically, placing in appropriate conta	iners for disposal.	
Prevention of secondary hazards	Clean contar	ninated objects and areas thoroughly o	bserving environmental regulations.	
6.4. Reference to other sections				
Reference to other sections	See section	8 for more information. See section 13	for more information.	
SECTION 7: Handling and st	orage			
7.1. Precautions for safe handling	_			
Advice on safe handling	Ensure adeq	uate ventilation.		
General hygiene considerations	Do not eat, d work.	rink or smoke when using this product	. Wash hands before breaks and after	
7.2. Conditions for safe storage, in	cluding any i	ncompatibilities		
Storage Conditions	Protect from moisture. Keep away from food, drink and animal feedingstuffs.			
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.			
7.3. Specific end use(s)				
<b>Specific use(s)</b> Adhesives and/or sealants.				
Risk Management Methods (RMM)	The informat	ion required is contained in this Safety	Data Sheet.	
Other information	Observe tech	nnical data sheet.		
SECTION 8: Exposure control	ols/person	al protection		
8.1. Control parameters				
Exposure Limits	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing			
Chemical name		European Union	United Kingdom	
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 200 ppm   TWA: 260 mg/m³ TWA: 266 mg/m³   * STEL: 250 ppm   STEL: 333 mg/m³ Sk*			
Dioctyltin oxide 870-08-6	- TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> Sk*			

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

# Derived No Effect Level (DNEL)

No information available

Derived No Effect Level (DNEL)					
Trimethoxyvinylsilane (2768-02-	Trimethoxyvinylsilane (2768-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	27,6 mg/m³			
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	35.5 mg/m³		
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d		

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	12 mg/m <sup>3</sup>		
worker Long term Systemic health effects	Dermal	1.7 mg/kg bw/d		

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
		······································	
worker	Dermal	0.05 mg/kg bw/d	
Long term			
Systemic health effects			
worker	Inhalation	0.004 mg/m <sup>3</sup>	
Long term			
Systemic health effects			

Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768	-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³		
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d		
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Туре	Exposure route	Derived No Effect Level	Safety factor

		(DNEL)	
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d	
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³	
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³		
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d		
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d		

Dioctyltin oxide (870-08-6)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d		
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d		
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³		

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)		
Trimethoxyvinylsilane (2768-02-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.34 mg/l	
Marine water	0.034 mg/l	
Microorganisms in sewage treatment	110 mg/l	

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.062 mg/l		
Marine water	0.0062 mg/l		
Sewage treatment plant	25 mg/l		

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.062 mg/l		
Marine water	0.006 mg/l		
Sewage treatment plant	25 mg/l		
Freshwater sediment	0.24 mg/kg dry weight		
Marine sediment	0.024 mg/kg dry weight		

OB1 Grip & Grab Adhesive Date: 23.02.2023

Soil	0.01 mg/kg dry weight		
Dioctyltin oxide (870-08-6)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater sediment	0.02798 mg/kg dry weight		
Marine sediment	0.002798 mg/kg dry weight		
Microorganisms in sewage treatment	100 mg/l		
8.2. Exposure controls			
Engineering controls	Ensure adequate ventilation, especially in confined areas.		
Personal protective equipment	t		
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to		
	standard EN 166.		
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.		
-	Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in		
	general greater than 480 min. Ensure that the breakthrough time of the glove material is		
	not exceeded. Refer to glove supplier for information on breakthrough time for specific		
	gloves. Gloves must conform to standard EN 374		
Skin and body protection	None under normal use conditions.		
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator		
1 71	conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,		
	especially in confined areas.		
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.		

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical	and chemical propertie	es	
Physical state	Solid		
Appearance	Paste		
Colour	See section 1 for more	information	
Odour	Characteristic.		
Odour threshold	No information available	e	
Property_	<u>Values</u>		Remarks • Method
Melting point / freezing point	No data available		None known
Initial boiling point and boiling	No data available		None known
range			
Flammability	No data available		None known
Flammability Limit in Air			None known
Upper flammability or explosive	No data available		
limits			
Lower flammability or explosive	No data available		
limits			
Flash point	> 60 °C		
Autoignition temperature	No data available		None known
Decomposition temperature			None known
рН			
pH (as aqueous solution)	No data available		None known
Kinematic viscosity	> 21 mm²/s		
Dynamic viscosity	No data available		
Water solubility	No data available. Pro	duct cures with	1
	moisture		
Solubility(ies)	No data available		None known
Partition coefficient	No data available		None known
Vapour pressure	No data available		None known
Relative density	No data available		None known
Bulk Density	No data available		

OB1 Grip & Grab Adhesive Date: 23.02.2023

Replaces: 01.08.2022 Ref: 0406.3.BB/DL

Linuid Density	4 5 4	
Liquid Density Relative vapour density	1.54 No data available	None known
Particle characteristics Particle Size Particle Size Distribution	No information available No information available	
<u>9.2. Other information</u> Solid content (%) VOC content	No information available	e No data available
9.2.1. Information with regards to Not applicable	physical hazard classes	
9.2.2. Other safety characteristics No information available	6	
SECTION 10: Stability and	reactivity	
10.1. Reactivity		
Reactivity	Product cures with mois	ture.
10.2. Chemical stability		
Stability	Stable under normal cor	nditions.
Explosion data		
Sensitivity to mechanical	None.	

impact Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

**Conditions to avoid** Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

#### 10.6. Hazardous decomposition products

Hazardous decomposition<br/>productsSmall amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon<br/>curing.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

Inhalation

Based on available data, the classification criteria are not met.

Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	, chemical and toxicological characteristics
Symptoms	No information available.
Acute toxicity	

## Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-vapour) 592.0223 mg/l

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
N-[3-(Dimethoxymethylsilyl)pro	=200 - 2000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	> 5.2 mg/L (Rat)4 h
pyl]-ethylenediamine	(OECD 401)	cuniculus)	
		(OECD 402)	
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
		OECD 402	

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	еуе		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

# N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit				Eye Damage
Acute Eye					

OB1 Grip & Grab Adhesive Date: 23.02.2023

Irritation/Corrosion					
Respiratory or skin sens	classificat			itisation responses were obser egative data. May cause sensit	
Method		Species	Exposure ro	ute Results	
OECD Test No. 406: Sensitisation		uinea pig	Dermal	No sensitisation res were observe	
Trimethoxyvinylsilane (276	8-02-7)				
Method	Species		Exposure route	Results	
OECD Test No. 406: Skin Sensitisation, Buehler test	Guinea pig		Dermal	sensitising	
N-[3-(Dimethoxymethylsily		nine (3069-29-2	)		
Method	Species		Exposure route	Results	
OECD Test No. 406: Skin Sensitisation	Guinea pig			Sensitizing	
Germ cell mutagenicity Component Information		available data,	the classification criteria	a are not met.	
Trimethoxyvinylsilane (276	68-02-7)				
Method		Species		Results	
OECD Test No. 471: Bacte Mutation Test	erial Reverse	in vitro N		Not mutagenic	
Carcinogenicity	Based on	available data,	the classification criteria	a are not met.	
Reproductive toxicity	Based on	available data,	the classification criteria	a are not met.	
Trimethoxyvinylsilane (276	8-02-7)				
Method		Species		Results	
OECD Test No. 422: Coml Toxicity Study with the Reproduction/Developmen Test				Not Classifiable	

STOT - single exposure

Based on available data, the classification criteria are not met.

## Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

STOT - repeated exposure

Based on available data, the classification criteria are not met.

# OB1 Grip & Grab Adhesive Date: 23.02.2023

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

#### Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects

No information available.

# SECTION 12: Ecological information

### 12.1. Toxicity

## Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
N-(3-(trimethoxysilyl)pr	-	LC50 (96H)	-	EC50 (48h)		
opyl)ethylenediamine		=597 mg/L		=81mg/L		
1760-24-3		(Danio		Daphnia magna		
		rerio)Semi-static		Static		
Dioctyltin oxide	EC50 (3hr)	LC50 (96hr)	-	EC50 (48Hr)		
870-08-6	>1.000 mg/l	>0,09 mg/l		>0,21 mg/l		
	(bacteria)	(Brachydanio		(Daphnia magna		
	(Activated	rerio (zebra))		(Dappnia		
	Sludge,	(Acute Toxicity		magna))		
	Respiration	Test)		(Daphnia sp.		
	Inhibition Test)			Acute		
				Immobilisation		
				Test)		

## 12.2. Persistence and degradability

Persistence and degradability

No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

# Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results

# OB1 Grip & Grab Adhesive Date: 23.02.2023

OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

# 12.3. Bioaccumulative potential

### Bioaccumulation

#### **Component Information**

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
Dioctyltin oxide	6

## 12.4. Mobility in soil

Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB

# 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

### 12.7. Other adverse effects

No information available.

# SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1	UN number or ID number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
		Not applicable

OB1 Grip & Grab Adhesive Date: 23.02.2023

14.6 Special Provisions

14.6 Special Provisions	None
IMDG	
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special Provisions	None
14.7 Maritime transport in bulk	Not applicable
according to IMO instruments	
Air transport (ICAO-TI / IATA-DGR)	_
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

None

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex
	Number
Dioctyltin oxide	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### Persistent Organic Pollutants Not applicable

. .

National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

# **SECTION 16: Other information**

## Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H335 May cause respiratory irritation

#### Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail
	Regulations concerning the international Hansport of Dangerous Coolds by Nair

# Key literature references and sources for data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	01-Sep-2022
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

## This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of

OB1 Grip & Grab Adhesive Date: 23.02.2023

Replaces: 01.08.2022 Ref: 0406.3.BB/DL

its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**